

**COMBUSTIBLE GAS DETECTOR****NAGMAN 274****GENERAL SPECIFICATIONS**

Heated Semiconductor Gas Sensor
High-Low Leak Sensitivity Selector
7 LED Tri-colored Visual Leak Level Indicator
Variable Intensity Audible Alarm
Ambient Concentration Reset
15.5"(40CM) Flexible Stainless Probe
Detection of METHANE / HYDROCARBON. Combustible Gases
Sensitivity as Low 5 ppm
Low Battery Indication
Reference Leak Source Included
Warm-up Time: 90 Seconds
Operating Temperature : 0 to 40°C (32 to 104°F)
Power Source : AA Size Alkaline Batteries x 4
Battery Life : Approx. 40 hrs
Size : 173 x 66 x 56 mm
Weight : 400g(with batteries)



*Typical Photo: Final Product look may vary*

**STANDARD INCLUSIONS**

- Basic Instrument with Battery
- Carrying Case
- Leak Check Bottle
- Conformance Certificate
- Instruction Manual

*Manufactured by*



**NAGMAN INSTRUMENTS AND ELECTRONICS PRIVATE LIMITED**

**AN ISO 9001:2015 CERTIFIED COMPANY**

170/1a2, Chennai Bangalore Highway Road, Sembarambakkam, Chennai – 600 123. INDIA

**Phone - Domestic Sales** 044-6677 7024, 044-6677 7005

**Email:** [mktgchennai@nagman.com](mailto:mktgchennai@nagman.com)

**Phone - Export Sales** +91-44-6677 7025.

**Email:** [exports@nagman.com](mailto:exports@nagman.com)

[www.nagman.com](http://www.nagman.com)



Specifications subject to change owing to continuous development. Contact us for latest Datasheet.

NIE/TDS/274/01/26/00